

ASSEMBLY INSTRUCTIONS COASTER FINE FURNITURE



Fine Furniture for every stage of life

REVISION 0: 06/02/2020

110571 Dining Table

ASSEMBLY INSTRUCTIONS



ASSEMBLY TIPS:

- 1. Remove hardware from box and sort by size.
- 2. Please check to see that all hardware and parts are present prior to start of assembly.
- 3. Please follow attached instructions in the same sequence as numbered to assure fast & easy assembly.



WARNING!

- 1. Don't attempt to repair or modify parts that are broken or defective. Please contact the store immediately.
- 2. This product is for home use only and not intended for commercial establishments.



ASSEMBLY TIME

20 MINUTES

PARTS IDENTIFICATION


A TOP 1 PC

B LEG 4 PCS

HARDWARE IDENTIFICATION


1	BOLT (M5 x 20mm - RBW)	8PCS
2	FLAT WASHER (M6-RBW)	8PCS
3	ALLEN WRENCH (M4 - BLK)	1PC

PAGE 2 OF 4



COASTERFURNITURE.COM





Note: Dimension tolerance ±5%



ASSEMBLY INSTRUCTIONS COASTER FINE FURNITURE



Fine Furniture for every stage of life

110653 *Bench*

REVISION 0 : 07/09/2020 REVISION 1 : 07/09/2021 REVISION 2 : 02/13/2025

COASTERFURNITURE.COM

ASSEMBLY INSTRUCTIONS



ASSEMBLY TIPS:

- 1. Remove hardware from box and sort by size.
- 2. Please check to see that all hardware and parts are present prior to start of assembly.
- 3. Please follow attached instructions in the same sequence as numbered to assure fast & easy assembly.



WARNING!

- 1. Don't attempt to repair or modify parts that are broken or defective. Please contact the store immediately.
- 2. This product is for home use only and not intended for commercial establishments.



ASSEMBLY TIME

10 MINUTES

PARTS IDENTIFICATION

AF	SEAT	1PC
B1	LEG (WITH "1" LABEL)	2PCS
B2	LEG (WITH "2" LABEL)	2PCS


HARDWARE IDENTIFICATION

1	BOLT (5/16 x 1"- BLK)		8PCS
2	FLAT WASHER (5/16 x 1" - BLK)		8PCS
3	WRENCH (5/16 X 1/2"- BLK)	5	1PC


COASTER

ASSEMBLY INSTRUCTIONS


STEP 1



STEP 2




STEP 3 COMPLETE



COASTERE





Note: Dimension tolerance ±5%