

ASSEMBLY INSTRUCTIONS COASTER FINE FURNITURE



Fine Furniture for every stage of life

121142 SIDE CHAIR

REVISION 0: 11/15/2023

PAGE 1 OF 7

COASTERFURNITURE.COM

ITEM:121142 ASSEMBLY INSTRUCTIONS



ASSEMBLY TIPS:

- 1. Remove hardware from box and sort by size.
- 2. Please check to see that all hardware and parts are present prior to start of assembly.
- 3. Please follow attached instructions in the same sequence as numbered to assure fast & easy assembly.



WARNING!

- 1. Don't attempt to repair or modify parts that are broken or defective. Please contact the store immediately.
- 2. This product is for home use only and not intended for commercial establishments.



PARTS IDENTIFICATION

А	SEAT AND BACK		1PC
В	LEFT LEG		1PC
С	RIGHT LEG		1PC
D	BACK FRAME		1PC
E	LONG CROSSBAR		2PCS
F	SHORT CROSSBAR		1PC
PAGE 2 OF 7 COASTERFURNITURE.COM			

ITEM:121142

ASSEMBLY INSTRUCTIONS HARDWARE IDENTIFICATION



Ζ

SHORT BOLT 1 (1/4" x 12mm BLK)



6PCS

CAP 6 (18 x 18mm BLK)



4PCS

LONG BOLT 2 (1/4" x 22mm BLK)



4PCS

7 **COVER**



4PCS

LONG BOLT 3 (1/4" x 30mm BLK)



2PCS

8 SUCTION CUP



2PCS

4 NUT



4PCS

ALLEN WRENCH 9 (4mm)



1PC

PLASTIC WASHER




4PCS

NOTE: QUANTITIES SHOWN ARE FOR ONE CHAIR

STEP 1


Do not tighten until each step is completed or instructed.




ITEM:121142 ASSEMBLY INSTRUCTIONS



<u>STEP 1</u> Do not tighten until each step is completed or instructed.



STEP 2




PAGE 4 OF 7


COASTERFURNITURE.COM

ITEM:121142 ASSEMBLY INSTRUCTIONS STEP 3






STEP 4




ITEM:121142 ASSEMBLY INSTRUCTIONS STEP 5





STEP 6



How to clean Acrylic product:

Using a dry soft microfiber cloth, lightly brush off any dust.

For additional care, dampen the cloth with warm water.

For deepest cleaning, use an Acrylic cleaner.

PAGE 6 OF 7


COASTERFURNITURE.COM

ITEM:121142 ASSEMBLY INSTRUCTIONS



Product Size: 457 X 559 X 826 H (MM)

Product Size: 18" X 22" X 32.5"



Note: Dimension tolerance ±5%