

ASSEMBLY INSTRUCTIONS COASTER FINE FURNITURE



Fine Furniture for every stage of life

723261TV CONSOLE

REVISION 0 : 05/16/2019 REVISION 1 : 12/16/2019 REVISION 2 : 04/29/2020 REVISION 3 : 04/27/2022 REVISION 4: 09/08/2022

PAGE 1 OF 11

COASTERFURNITURE.COM

ASSEMBLY INSTRUCTIONS

ASSEMBLY TIPS:

- 1. Remove hardware from box and sort by size.
- 2. Please check to see that all hardware and parts are present prior to start of assembly.
- 3. Please follow attached instructions in the same sequence as numbered to assure fast & easy assembly.

WARNING!

1. Don't attempt to repair or modify parts that are broken or defective. Please contact the store immediately. 2. This product is for home use only and not intended for commercial establishments.




ASSEMBLY TIME

40 MINUTES

MAX TV SIZE: 50"

PARTS IDENTIFICATION



NOTE:

Phillips head screw driver is required in the assembly process; however, manufacturer does not provide this item.




Z	HARDWARE IDENTIFICATION					FINE FURNITURE	
NO	DESCRIPTION	FIGURE	Q'TY	NO	DESCRIPTION	FIGURE	Q'TY
1	GLUE 40g		1PC	9	SHORT BOLT M6x20mm BLK	0	8PCS
2	WOODEN DOWEL		22PCS	10	ALLEN WRENCH 4mm SR		1PC
3	CAM BOLT \$7x35.5mm SR		13PCS	11	STICKER ø20mm		3PCS
4	CAM LOCK		13PCS	12	FOOT ø35xH19mm		6PCS
5	BOLT ø9.5x55mm SR	Management 100	8PCS	13	TRACK BAR L=1123mm BLK		
6	PIN FOR ADJUSTABLE SHELF \$\phi 4.9x8mm SR		12PCS	10			1PC
7	PIN FOR DOOR		2PCS	14	TRACK SPACER	Ü	4PCS
8	LONG BOLT M6x44mm BLK		4PCS	15	ROLLER	60	4PCS

Z12,Z13,Z14,ZI5 not included in blister packaging.

NOTE:

Phillips head screw driver is required in the assembly process; however, manufacturer does not provide this item.




STEP 3












STEP 4
























COASTER

STEP 11



STEP 12






ITEM: **723261 STEP 13**











STEP 14 COMPLETE














Note: Dimension tolerance ±5%